



20 Clay Brick Way
Lantz, NS B2S 3G4
(902) 883-2201
salesinfo@shawbrick.ca
shawbrick.ca

COLONIAL



SPECIFICATIONS

The perfect blend of old and new in a clay brick.

Capture the timeless charm of classic colonial masonry with the Colonial Collection. Inspired by the rich brick-building traditions of New England and Atlantic Canada, these bricks feature unique patterns formed by random textures and colour variations in every installation. With dimpling and

distressed surfaces, each piece adds a touch of heritage to contemporary and traditional designs alike.

COLOUR



Antique




Antique White



Brunswick



Cambridge



Harvard



Heritage




Lowell Historic




Old Scotia

SHAPE



Max 57



Metric Modular

TEXTURE



Wirecut

GUIDES

Product Info Guides

- [ClayBrick_Colonial_Antique.jpg](#)
- [ClayBrick_Colonial_AntiqueWhite.jpg](#)
- [ClayBrick_Colonial_Brunswick.jpg](#)
- [ClayBrick_Colonial_Cambridge.jpg](#)
- [ClayBrick_Colonial_Harvard.jpg](#)
- [ClayBrick_Colonial_Heritage.jpg](#)
- [ClayBrick_Colonial_LowellHistoric.jpg](#)
- [ClayBrick_Colonial_OldScotia.jpg](#)



20 Clay Brick Way
Lantz, NS B2S 3G4
(902) 883-2201
salesinfo@shawbrick.ca
shawbrick.ca

ADDITIONAL INFORMATION/SPECIFICATIONS

Available in

Brick Sizes	Length mm (in)	Width mm (in)	Height mm (in)
Metric Modular	190 (7.48)	90 (3.54)	57 (2.25)
Slender	190 (7.48)	10 (0.4)	57 (2.25)
Saxon	190 (7.48)	90 (3.54)	90 (3.54)

Coverage:

7 bricks = 1 sqft

Minimum Compressive Strength - Gross Area MPa (P.S.I.)

Red: 80-100 (11,000-14,000)

Brown: 70-90 (10,000-13,000)

Buff: 65-85 (9,500-12,000)

Maximum Water Absorption (24 hr. %)

Red: 1 - 3

Brown: 2 - 4

Buff: 6 - 8

Maximum Saturation Coefficient

Red: 0.65 - 0.78

Brown: 0.50 - 0.70

Buff: 0.70 - 0.78

Maximum Initial Rate of Absorption

Red: 1g/min/5,000mm²

Brow: 5g/min/20,000mm²

Buff: 10g/min/20,000mm²

Freeze Thaw % After 50 Cycles - Meets Requirements