

20 Clay Brick Way Lantz, NS B2S 3G4 (902) 883-2201 salesinfo@shawbrick.ca shawbrick.ca

Maritime











20 Clay Brick Way Lantz, NS B2S 3G4 (902) 883-2201 salesinfo@shawbrick.ca shawbrick.ca

Clay brick that's warm and welcoming.

Inspired by timeless brickwork traditions, the Maritime Collection from Shaw Brick offers a refined and inviting aesthetic. With its crisp, clean appearance and subtle blend variations, this collection delivers a softer, more sophisticated look compared to other blends. Perfect for creating warm, welcoming spaces, the Maritime Collection embodies the friendly character of its namesake region, making it an excellent choice for traditional and contemporary designs alike.

COLOUR



Evangeline

Loyalist

SHAPE



Max 57

	•
	I
Metric	
Modular	

TEXTURE



Rustic

ADDITIONAL INFORMATION/SPECIFICATIONS

BRICK MEASUREMENT CHART

Sizes	Metric	Imperial	Approximate Weight	Pieces per Pallet	Coverage
Modular	57 x 90 x 190 mm	2 1/4" x 3 1/2" x 7 5/8"	4 lbs	500	7 pieces/sq. ft.
Max 57	57 x 90 x 255 mm	2 1/4" x 3 1/2" x 10 1/8"	5 lbs	400	5.2 pieces/sq. ft.



20 Clay Brick Way Lantz, NS B2S 3G4 (902) 883-2201 salesinfo@shawbrick.ca shawbrick.ca

Minimum Compressive Strength - Gross Area MPa (P.S.I.)

Red: 80-100 (11,000-14,000) Brown: 70-90 (10,000-13,000) Buff: 65-85 (9,500-12,000)

Maximum Water Absorption (24 hr. %)

Red: 1 - 3 Brown: 2 - 4 Buff: 6 - 8

Maximum Saturation Coefficient

Red: 0.65 - 0.78 Brown: 0.50 - 0.70 Buff: 0.70 - 0.78

Maximum Initial Rate of Absorption

Red: 1g/min/5,000mm2 Brow: 5g/min/20,000mm2 Buff: 10g/min/20,000mm2

Freeze Thaw % After 50 Cycles - Meets Requirements